

BOUSSOLE Monthly Cruise Report

Cruise 63

April 15 - 18, 2007

Duty Chief: Guislain Bécu (guislain.becu@obs-vlfr.fr)

Vessel: R/V Téthys II

(Captain: Rémi Lafond)

Science Personnel: Guislain Bécu, Dominique Tailliez, Grigor Obolenski, Lars Stemmann, David Luquet, Yves Lamblard and Christophe Lamoureux.

Laboratoire d'Océanographie de Villefranche (LOV), 06238 Villefranche sur mer cedex, FRANCE



Fig 1. Divers Yves Lamblard and Christophe Lamoureux cleaning and checking the buoy instrumentation.

BOUSSOLE project

ESA/ESRIN contract N° 17286/03/I-OL

Deliverable from WP#400/200

April 23, 2007



Contents

1. Cruise Objectives
2. Cruise Summary
3. Cruise Report
4. Calculated Swath paths for Meris Sensor

Appendix

Cruise Objectives

Routine operations

Multiple SPMR profiles are to occur within 1 hour of satellite overhead passes of MERIS around solar noon, under optimal conditions: clear blue skies and flat, calm sea surface. If the sky is clear and sea conditions are reasonably calm (no whitecaps or large swell), hand held CIMEL sun photometer measurements are to be performed consecutively where possible with SPMR profiles. If sea conditions are poor but sky is good, hand held CIMEL sun photometer measurements can be made at intervals throughout the day to measure atmospheric optical thickness. A floating platform is to be used to support the SPMR Eu sensor approximately 20cm below the surface for up to 3 minutes of stable light field before a release mechanism triggers the release of the profiler to start a descent as normal. Multiple descents ideally will be started in this way and the data will be used to assess near-surface Eu extrapolation model calculations. CTD deployments are required at the start and end of the SPMR profiling day and around noon in the longer summer days or when there is a high possibility of a satellite matchup. In addition to the depth profile from the CTD, CDOM fluorometer, Chl fluorometer and AC9, seawater samples are to be collected, filtered and stored in N₂ for HPLC pigment and particule absorption spectrophotometric filter analysis in the lab. A gimbled PAR sensor positioned on the foredeck and operated from the CTD computer serves as a light field stability indicator during SPMR profiling.

For one day of each cruise, at the end of the optics measurements on site, there will be one ctd transect between the Boussole site and the Port of Nice. This transect consists of four fixed locations on-route from Boussole and a final two station positions to be decided during the transect in order to sample on both sides of the main frontal structure between the coastal waters and Ligurian Sea. The time of day of this transect should be similar for each cruise, if possible to minimise influence of diurnal variability.

Additional operations

There was a bug in the daily ARGOS messages editing. Indeed, there was no CTD depth logged into the messages, and the CTD temperature value was always constant. Furthermore, the buoy stopped to send the daily messages on April 12, 2007. Satlantic sent a new “nodeman.jar” node configuration file to fix the problem of depth and temperature. Once at sea, it was seen that the halt in the messages sending was only due to the beacon oxidized electronic contacts, and a connection to the node from the ship was realizable. So the node was upgraded to fix the depth and temperature bug.

Lars Stemmann was onboard for one day to perform a 1000m profile with the PVM at the BOUSSOLE site.

Cruise Summary

Sea conditions were good for the last three days of the cruise, but not so easy for the beginning of the first day. A connection to the buoy was performed from the ship, which allowed upgrading the node configuration files in order to fix the ARGOS messages editing bug (no CTD depth and temperature in the daily messages). The connection to the node refuted a possible buoy system halt, as the ARGOS daily messages were not sent from April 12, 2007. A cleaning of the beacon electronic contacts solved this usual problem.

Lars Stemmann was onboard on Wednesday 18th April to perform a 1000m PVM profile at the BOUSSOLE site.

Sunday 15 April 2007

Sea conditions were rather rude the previous day, and some swell was still present at the BOUSSOLE site in the early hours of April 15, so the departure was delayed by a few hours. Operations this day was 7 CTD casts, among which 6 were performed on the transect between the site and the port of Nice, as well as the buoy node upgrade and its data retrieval. It is to be noted that 2 successive connection attempts failed after the buoy node upgrade.

Monday 16 April 2007

The connection attempt between the node and the ship was successful this day, and the data could have been downloaded. 3 Divers went also at sea to clean the sensors (which were very clean as for the divers), check the general state of the buoy under the surface and to take some pictures. Finally, 2 CTD casts as well as 5 SPMR/SMSR profiles and a Secchi disk measurement were performed this day.

Tuesday 17 April 2007

This day was a standard BOUSSOLE day, with 2 CTD casts, 10 SPMR/SMSR profiles (among which 4 performed with the floating structure) and 3 CIMEL atmospheric measurements realized.

Wednesday 18 April 2007

For this last cruise day, 2 CTD casts, 4 SPMR/SMSR profiles, 1 PVM profile and 3 plankton net profiles were achieved.

Cruise Report

15 April 2007 (UTC)

- 0830 Departure from the port of Nice.
- 1215 Buoy node upgrade and data retrieval.
- 1315 Connection with the node attempt to check the upgrade, but unsuccessful.
- 1327 CTD 01, 400 m, close to the buoy, water sampling at 200, 150, 80, 70, 60, 50, 40, 30, 20, 10 and 5 m for HPLC and Ap.
- 1415 Second connection attempt, again unsuccessful!
- 1457 CTD 02 at station 1 (43°25'N 07°48'E).
- 1557 CTD 03 at station 2 (43°28'N 07°42'E).
- 1701 CTD 04 at station 3 (43°31'N 07°37'E).
- 1808 CTD 05 at station 4 (43°34'N 07°31'E).
- 1916 CTD 06 at station 5 (43°37'N 07°25'E).
- 2010 CTD 07 at station 6 (43°39'N 07°21'E).
- 2105 Arrival at the port of Nice.

16 April 2007

- 0430 Departure from the port of Nice.
- 0815 Buoy data retrieval ok...
- 0830 Diving operations.
- 0929 CTD 08, 400 m, close to the buoy, with water sampling at 200, 150, 80, 70, 60, 50, 40, 30, 20, 10 and 5 meters for HPLC and Ap.
- 1120 SPMR 01, 02, 03, 04 and 05.
- 1229 CTD 09, 400 m, close to the buoy, with water sampling at 5 and 10 m for triplicate HPLC and Ap and for TSM.
- 1240 Secchi disk 01.
- 1255 Departure from the BOUSSOLE site.
- 1615 Arrival to the port of Nice.

17 April 2007

- 0435 Departure from the port of Nice.
- 0805 CTD 10, 400 m, close to the buoy, with water sampling at 10 and 5 meters for triplicate HPLC and Ap.
- 0853 SPMR 06, 07 and 08.
- 0933 CIMEL 01, close to the buoy.
- 1128 SPMR 09, 10, 11 and 12 with the floating structure.
- 1238 SPMR 13, 14 and 15.
- 1259 CIMEL 02, close to the buoy.
- 1311 CIMEL 03, close to the buoy.
- 1326 CTD 11, 400 m, close to the buoy, with water sampling at 5 and 10 m for triplicate HPLC and Ap and for TSM.
- 1040 Departure from the BOUSSOLE site.
- 1410 Arrival at Port of Nice.

18 April 2007

- 0430 Departure from the port of Nice.
0802 CTD 12, 400 m, close to the buoy, with water sampling at 10 and 5 meters for triplicate HPLC and Ap.
0850 PVM 01, 1000 m, close to the buoy.
0939 SPMR 16, 17, 18 and 19.
1034 3 x 100 m plankton net profiles.
1105 PVM 02, 1000 m, close to the buoy.
1228 CTD 13, 400 m, close to the buoy, with water sampling at 5 and 10 m for triplicate HPLC and Ap and for TSM.
1300 Departure from the BOUSSOLE site.
1615 Arrival to the port of Nice.

Calculated Swath paths for the MERIS Sensor (ESOV Software)





Figure 2. Calculated swath paths for MERIS (Esov software) above BOUSSOLE site for April 16 and 17, 2007.

Appendix




GMD 2007 Apr 18 18:22:06

Boussole 63

15/04/2007

BOUS070415_01

BOUS001



Date 15/04/2007

Heure déb 13h 27min [TU]

Latitude 43°22.039 N


Longitude 07°53.840 E

Boussole 63

15/04/2007

BOUS070415_02

BOUS002



Date 15/04/2007

Heure déb 14h 57min [TU]

Latitude 43°25.030 N


Longitude 07°47.818 E

Boussole 63

15/04/2007

BOUS070415_03

BOUS003



Date 15/04/2007

Heure déb 15h 57min [TU]

Latitude 43°27.921 N


Longitude 07°42.323 E

Boussole 63

15/04/2007

BOUS070415_04

BOUS004



Date 15/04/2007

Heure déb 17h 01min [TU]

Latitude 43°30.923 N


Longitude 07°36.879 E

Boussole 63

15/04/2007

BOUS070415_05

BOUS005



Date 15/04/2007
Heure déb 18h 08min [TU]


Latitude 43°33.830 N
Longitude 07°30.898 E

Boussole 63

15/04/2007

BOUS070415_06

BOUS006



Date 15/04/2007

Heure déb 19h 16min [TU]

Latitude 43°37.413 N


Longitude 07°24.889 E

Boussole 63

15/04/2007

BOUS070415_07

BOUS007



Date 15/04/2007

Heure déb 20h 10min [TU]

Latitude 43°38.838 N


Longitude 07°20.553 E

Boussole 63

16/04/2007

BOUS070416_01

BOUS008



Date 16/04/2007

Heure déb 09h 29min [TU]

Latitude 43°22.088 N


Longitude 07°53.932 E

Boussole 63

16/04/2007

BOUS070416_02

BOUS009



Date 16/04/2007

Heure déb 12h 29min [TU]

Latitude 43°22.083 N


Longitude 07°53.925 E

Boussole 63

17/04/2007

BOUS070417_01

BOUS010



Date 17/04/2007

Heure déb 08h 05min [TU]

Latitude 43°22.186 N


Longitude 07°53.708 E

Boussole 63

17/04/2007

BOUS070417_02

BOUS011



Date 17/04/2007

Heure déb 13h 26min [TU]

Latitude 43°22.076 N


Longitude 07°53.918 E

Boussole 63

18/04/2007

BOUS070418_01

BOUS012



Date 18/04/2007

Heure déb 08h 02min [TU]

Latitude 43°22.089 N


Longitude 07°53.794 E

Boussole 63

18/04/2007

BOUS070418_02

BOUS013




Date 18/04/2007



Heure déb 12h 28min [TU]


Latitude 43°22.172 N

Longitude 07°53.975 E






BOUSSOLE 63 16 avril 2007





BOUSSOLE 63 17 avril 2007





BOUSSOLE 63 18 avril 2007

