Observations 00000 Modelling 00000 Implications 0

Ontogenetic vertical "migration" in coral-reef fish larvae communities and its consequences for dispersal

Jean-Olivier Irisson Claire B. Paris Robert K. Cowen Serge Planes

Centre de Biologie et d'Écologie Tropicale et Méditerranéenne, Université de Perpignan

Rosenstiel School of Marine and Atmospheric Sciences, University of Miami

30 Janvier 2009

Observations

Modelling 00000 Implications 0

Impact of vertical position

Distance Depth

- Current shear
- Many models


▲□▶ ▲圖▶ ★ 国▶ ★ 国▶ - 国 - のへで

• Little data

Observations

Modelling 00000 Implications 0

Impact of vertical position



- Current shear
- Many models


▲□▶ ▲圖▶ ★ 国▶ ★ 国▶ - 国 - のへで

Little data

Observations

Modelling 00000 Implications 0

Impact of vertical position



- Current shear
- Many models


▲□▶ ▲圖▶ ▲臣▶ ▲臣▶ = 臣 = のへで


Little data

Observations

Modelling 00000 Implications 0

Two similar field studies






◆□▶ ◆□▶ ◆三▶ ◆三▶ ○○○

Observations

Modelling 00000 Implications 0

Two similar field studies



◆□▶ ◆□▶ ◆三▶ ◆三▶ ○□ のへで

Observations


Modelling 00000

・ロト ・聞ト ・ヨト ・ヨト

э

Implications 0

Vertically stratified sampling




Observations

Modelling 00000

Implications 0

Large taxonomic variations



990

æ





Observations

Modelling 00000 Implications 0

Large taxonomic variations

Apogonidae, Bleniidae, Bothidae, Gobiidae, Labridae, Hemulidae, etc. | Ophidiidae, etc.






<ロト <回ト < 注ト < 注ト æ

Observations

Modelling 00000 Implications 0

Ontogenetic effect within taxon




Observations

Modelling 00000

Implications 0


Homogenous across taxa



Observations

Modelling 00000 Implications 0


Homogenous across taxa




900

Observations


Modelling •0000 Implications 0



Observations 00000 Modelling ●0000 Implications 0




Observations 00000 Modelling •0000 Implications 0




Observations

Modelling •0000 Implications 0




Observations 00000 Modelling •0000 Implications 0




Observations 00000 Modelling ○●○○○ Implications 0

Embedded within a simulated flow field



◆ロ ▶ ◆母 ▶ ◆臣 ▶ ◆臣 ▶ ○臣 ○ のへで




▲□▶ ▲圖▶ ▲臣▶ ▲臣▶ = 臣 = のへで

Observations

Modelling 00●00 Implications 0


Little difference on trajectories



◆□ > ◆□ > ◆三 > ◆三 > 三 のへの

Observation 00000 Modelling 000●0 Implications 0

Interpolation of current field




500

프 > 프

Observations

Modelling 0000● Implications 0

Retention rate




- **Bimodal** distribution of retention
- Depends on **initial** flow conditions
- Vertical migration is **effective**

◆□▶ ◆□▶ ◆三▶ ◆三▶ ○□ のへで

Observations

Modelling 0000● Implications 0

Retention rate



- **Bimodal** distribution of retention
- Depends on **initial** flow conditions
- Vertical migration is effective

◆□▶ ◆□▶ ◆臣▶ ◆臣▶ ─臣 ─のへで

Observations

Modelling 00000 Implications

Importance of rare events



• No large scale, systematic influence

• Extraordinary cases of retention

What is important? Mean or tails?

Observations

Modelling 00000 Implications

Importance of rare events



• No large scale, systematic influence

• Extraordinary cases of retention

What is important? Mean or tails?

Observations

Modelling 00000 Implications

Importance of rare events



• No large scale, systematic influence

• Extraordinary cases of retention

What is important? Mean or tails?